

C.A.T.S. Tuner ECM DA3 Parameter List

(ECM Configuration File Version AW)

ECM Switch Parameters

Auto Trans (TCC = O, Manual = X)
C.A.R.S. Select (X = Enabled)
VATS Select (X = Enabled)
Data Stream Fuel Enable (X = Enabled)
Left O2 Sensor Diagnostic (Error 13)
VSS Diagnostic (Error 24)
QDM #1 Diagnostic (Error 26)
QDM #2 Diagnostic (Error 27)
QDM #3 Diagnostic (Error 28)
EGR Diagnostic (Error 32)
MAP High Diagnostic (Error 33)
MAP Low Diagnostic (Error 34)
EST Grounded Diagnostic (Error 42)
Knock Diagnostic (Error 43)
Left O2 Sensor Lean Diag (Error 44)
Left O2 Sensor Rich Diag (Error 45)
VATS Diagnostic (Error 46)
Oil Temp Sensor Low (Error 52)
Oil Temp Sensor High (Error 62)
Right O2 Sensor Diagnostic (Error 63)
Right O2 Sensor Lean Diag. (Error 64)
Right O2 Sensor Rich Diag. (Error 65)
A/C Press. Sensor Fail (Error 66)
A/C Press. Sensor Degraded (Error 67)
A/C Relay Shorted (Error 68)
A/C Clutch Circuit Open (Error 69)
A/C Evap. Temp. Sensor Fail (Error 71)

ECM Constants

Fuel Cutoff Speed
Fuel Resume Speed
Fuel Cutoff, 1st Gear (Eng Speed)
Fuel Cutoff, 2nd Gear (Eng Speed)
Fuel Cutoff, 3rd -> 6th Gear (Eng Speed)
Fuel Resume, 1st Gear (Eng Speed)
Fuel Resume, 2nd Gear (Eng Speed)
Fuel Resume, 3rd -> 6th Gear (Eng Speed)
Fan 1 On Coolant Temp, Low MPH
Fan 1 On Coolant Temp, High MPH
Fan 2 On Coolant Temp, Low MPH
Fan 2 On Coolant Temp, High MPH
Fan Low MPH Hysteresis
Fan High MPH Hysteresis
Fan Low/High MPH Threshold
Injector Flow Rate
Display Injector Flow Rate
Cylinder Volume
Maximum Spark Advance
Knock Retard Enable RPM
Knock Retard Enable Speed
Knock Retard Enable Coolant Temp.

Low Octane ESC Retard Enable MAP
Low Oct ESC Retard Disable Delta MAP
Low Oct ESC Retard Enable Knock Retard
Low Oct ESC Retard Increase Step Size
Low Oct ESC Retard Decrease Step Size
Throt. Follow Extend Decay Timer (P/N)
Throt. Follow Extend Decay Timer (Drive)
Throt Follower Extend Decay Timer Adder
EGR Off, (TPS)
EGR On, (TPS)
EGR Off, (Low RPM Window)
EGR On, (Low RPM Window)
EGR Off, (High RPM Window)
EGR On, (High RPM Window)
EGR Off, (Low MAP Window)
EGR On, (Low MAP Window)
EGR Off, (High MAP Window)
EGR On, (High MAP Window)
EGR On, Vehicle Speed
EGR Off, Vehicle Speed
EGR Enable Cool. Temp. Threshold
Air Injector Enable Cool Temp Threshold
Cool Thresh For HighTemp PE TPS Thresh.
MAP Threshold To Enable Power Enrichment
Min. Cool. Temp. for Closed Loop
Min Cool Temp for Closed Loop, Cold MAT
Canister Purge Enable MAP Threshold
Canister Purge Enable TPS Threshold
Minimum BLM Value
Maximum BLM Value
Min Coolant Temp for BLM Update
Max. Coolant Temp. for BLM Update
Min. MAP for BLM Update
Minimum Integrator Value
Maximum Integrator Value
Stoichiometric AFR
Fast O2 Rich/Lean Threshold Hysteresis
Minimum Injector Pulse Width
Default Injector Pulse Width
Idle RPM Adder, A/C On
IAC Default Keep Alive Min Position
IAC Minimum Keep Alive Min Position
IAC Maximum Keep Alive Min Position
DFCO Enable RPM Threshold
DFCO Disable RPM Threshold
DFCO Enable MAP Threshold
DFCO Disable MAP Threshold
DFCO Disable RPM Decrease Threshold
DFCO Enable Coolant Temp. Threshold
DFCO Enable TPS Threshold Hysteresis
DFCO Enable MPH Threshold
Baro Update RPM Threshold
TCC Lock Speed (Low Gears)
TCC Unlock Speed (Low Gears)
TCC Lock Speed (High Gear)
TCC Unlock Speed (High Gear)
TCC Unlock Prevention Speed Threshold
C.A.R.S. Enable Coolant Temp. Threshold
Road Speed Constant
Instrument Panel VSS Pulse Divisor
Minimum 1st Gear RPM/Vss Ratio
Minimum 4th Gear RPM/Vss Ratio
Maximum 4th Gear RPM/Vss Ratio

PROM ID
Min. Async Pulse Width
Max. Async Pulse Width

Tables

ECM Switch Table
ECM Constant Table
Main Spark Advance Vs RPM Vs. Load
Main Spark Advance Vs RPM Vs. Load, (EXT)
Coolant Temp. Compensation Spark Vs. Load
Closed TPS Spark Advance Vs. RPM
Traction Control Spark Retard Vs. RPM
Maximum Knock Retard Vs. RPM (in P.E.)
Maximum Knock Retard Vs. MAP (not in P.E.)
Knock Retard Gain Factor Vs. RPM
Knock Retard Recovery Factor Vs. RPM
Low Octane ESC Base Retard Vs. RPM
Low Octane ESC Retard Multiplier Vs. RPM
Low Octane ESC Retard Multiplier Vs. MAP
Volumetric Efficiency Vs. RPM Vs. MAP
Volumetric Efficiency Vs. RPM Vs. MAP (EXT)
Injector PW Correction Vs. Battery Voltage
Low Pulse Width Injector Offset Adder Vs. BPW
TPS Threshold Vs. RPM For Power Enrich. Mode
TPS Threshold for PE Vs RPM, (High Cool.)
PE %Change to Fuel/Air Ratio Vs. Cool. Temp.
PE %Change to Fuel/Air Ratio Vs. RPM
StartUp Enrichment Vs. Coolant Temp.
Accel. Enrich. Vs. Differential TPS (Mult)
Accel. Enrich. Vs. Coolant Temp. (Mult.)
Accel Enrich Delta TPS PW Factor Vs Async Pulse
Accel Enrich Delta MAP PW Multiplier Vs. Delta MAP
Accel Enrich Delta MAP PW Mult. Vs. Coolant Temp.
Accel Enrich Delta MAP PW Decay Factor Vs. Coolant
Accel Enrich Delta MAP Enable Threshold Vs TPS
Open Loop %Change to Fuel/Air Ratio Vs. Cool. Temp
Open Loop %Change to Fuel/Air Ratio Vs. MAP
BLM Cell RPM Boundaries
BLM Cell MAP Boundaries
Left Fast O2 Rich/Lean Threshold Vs. Air Flow
Right Fast O2 Rich/Lean Threshold Vs. Air Flow
Left Slow O2 Rich/Lean Thresholds Vs. Air Flow
Right Slow O2 Rich/Lean Thresholds Vs. Air Flow
MAT Compensation Counts Vs. MAT
Inv. MAT Term Lookup Delta Multiplier Vs Airflow
DFCO Enable TPS Threshold Vs. RPM
Crank Fuel Pulse Width Vs. Coolant Temp.
Crank Fuel PW Multiplier Vs. Ref. Pulses (1-16)
Crank Fuel PW Multiplier Vs. Ref. Pulses (>17)
Crank Fuel Delivery Delay Vs. MAT
Target Idle RPM Vs. Coolant Temp. (In P/N)
Target Idle RPM Vs. Coolant Temp. (In Drive)
IAC Warm Park Position Vs Coolant Temp.
Idle Speed Timeout IAC Steps Vs. Coolant Temp.
IAC Manual Throttle Follower Offset Vs. MPH
TCC Lock/Unlock %TPS Vs. Speed (Low Gears)
TCC Lock/Unlock %TPS Vs. Speed (High Gears)